SPJP JOURNAL OF MULTIDISCIPLINARY SCIENCES

Visit Us: https://spjpjms.com



Mini Review

Climate Change Impacts on Microbial Diversity and Ecosystem Health: A Multidisciplinary Mini-Review

[1]Ritika Tiwari

[1]School of Allied and Health Sciences, NIU, Noida, India

ABSTRACT

Climate change is increasingly recognized as a major driver of ecological transformation across terrestrial, freshwater, and marine ecosystems. Among the most sensitive biological components affected are microbial communities, which play fundamental roles in nutrient cycling, carbon sequestration, soil fertility, and ecosystem resilience. Alterations in temperature, precipitation patterns, atmospheric CO_2 concentrations, and extreme climatic events are reshaping microbial diversity, distribution, and functional capacity. This mini-review synthesizes current evidence on how climate change influences microbial communities and explores the cascading consequences for ecosystem health. Integrating perspectives from microbiology, ecology, environmental science, and biogeochemistry, the review highlights emerging trends, adaptive microbial responses, and future research priorities.

Keywords: Climate Change, Microbial Diversity, Ecosystem Health, Biogeochemical Cycles, Environmental Microbiology.

***Corresponding author:** Ritika Tiwari, School of Allied Health Sciences, Noida, India

Email: ritikat1996@yahoo.com

DOI: 10.62502/spjpjms/v1i2art2

Received: 16/06/2025
Accepted: 26/08/2025
Published: 20/09/2025

Copyright © 2025. The Author (s)

This is an open-access article distributed under the terms of the Creative Commons Attribution, Non-Commercial- 4.0 International License (CC BY-NC-4.0), which permits non-commercial use, sharing, adaptation, and reproduction in any medium, provided the original work is properly cited and any derivative works are distributed under the same license.

INTRODUCTION

Microorganisms represent the most abundant and diverse forms of life on Earth and function as the invisible architects of ecosystem processes. Through their metabolic activities, they drive nutrient and energy flows by decomposing organic matter, regulating carbon and nitrogen cycling, and supporting plant and animal health. Microbial communities play a central role in maintaining soil fertility, stabilizing food webs, and sustaining ecosystem productivity. Despite this fundamental ecological importance, microbial responses to climate change have historically received far less attention than those of plants and animals. In recent years, however, growing scientific evidence has highlighted that microbial diversity and functional capacity are highly sensitive to climatic disturbances. Changes in microbial communities can alter ecosystem stability and feedback into climate systems by influencing greenhouse gas emissions and carbon storage. [1,2] Climate change is characterized by long-term alterations in temperature regimes, precipitation patterns, atmospheric greenhouse gas concentrations, and the increasing occurrence of extreme weather events such as droughts, floods, and heatwaves. These environmental shifts directly affect microbial physiology, community composition, and metabolic activity, leading to cascading impacts on ecosystem processes. Such changes can compromise soil health, reduce plant productivity, degrade water quality, and disrupt global biogeochemical cycles.

EFFECTS OF CLIMATE CHANGE ON MICROBIAL DIVERSITY AND FUNCTION

Temperature Rise: Rising global temperatures are a central feature of climate change. Elevated temperatures influence microbial metabolic rates, growth dynamics, and community composition. Numerous studies have shown that prolonged warming leads to reductions in soil microbial richness and shifts in functional groups, even as overall microbial biomass can increase. [3,4] For example, warming suppresses populations of ammonia-oxidizing bacteria while favoring denitrifiers, altering nitrogen cycling pathways. Such shifts can weaken soil nitrogen availability for plants and affect nutrient balance. [3] Warming also affects cold ecosystems. In Arctic and polar regions, permafrost thaw exposes ancient carbon stores to microbial degradation, enhancing CO_2 and methane emissions, both potent greenhouse gases, thus creating a positive feedback loop that accelerates warming. [5,6]. Microbial activation in thawing soils contributes substantially to carbon flux, emphasizing the role of microbes in climate feedback mechanisms [6.7]

Altered Precipitation and Moisture Regimes: Climate change alters global precipitation patterns, resulting in increased droughts in some regions and intensified rainfall in others. Soil moisture is a critical determinant of microbial activity; both drought and waterlogging reduce microbial diversity and disrupt functional networks. Prolonged dry periods limit nutrient diffusion and microbial metabolism, reducing soil biological activity. [8,9] Conversely, waterlogged soils can become anaerobic, favoring microbial pathways such as methanogenesis, which increases methane release and contributes further to atmospheric warming. Changing precipitation also influences soil structure and plant–microbe interactions. Erosion, nutrient leaching, and decreased soil organic matter associated with extreme rainfall events can degrade soil microbial habitats and reduce long-term soil fertility

Atmospheric Composition Changes: Elevated atmospheric CO_2 levels not only drive warming but also influence microbial physiology directly. High CO_2 can increase plant biomass and litter deposition, altering the quantity and quality of substrates available to soil microbes. These changes can shift microbial community composition and functional potential. Additionally, CO_2 enrichment often interacts with nutrient limitations, modifying microbial respiration and carbon sequestration dynamics. [10] Climate-driven changes in other greenhouse gases, such as nitrous oxide (N_2O), further impact microbial processes. N_2O production is microbially mediated through nitrification and denitrification pathways, and changes in these pathways due to warming or moisture shifts can amplify greenhouse gas emissions [11].

MICROBIAL RESPONSES ACROSS ECOSYSTEMS

Terrestrial Soil Ecosystems: Soil ecosystems harbor immense microbial diversity that underpins terrestrial productivity and nutrient cycling. Climate change has significant implications for soil microbial communities, affecting biodiversity and ecosystem services. Long-term warming studies reveal substantial decreases in microbial diversity and functional stability, particularly in regions with high mean annual temperatures or prolonged warming duration. [12] These declines compromise soil processes such as carbon storage and nutrient mineralization, reducing soil health. Soil enzymatic activity, an indicator of microbial functional capacity, is strongly influenced by climate stressors. Changes in temperature and moisture affect enzyme production and stability, which in turn affects the breakdown of organic matter and nutrient availability for plants. This can lead to reduced soil fertility and agricultural productivity. [8,12]

Aquatic Ecosystems: Aquatic microorganisms play key roles in biogeochemical cycling and water quality. Climate-driven warming of freshwater and marine environments alters microbial communities by favoring heat-tolerant and potentially pathogenic species. In natural waters, increases in water temperature stimulate outbreaks of toxic algae and harmful bacteria, intensifying water quality issues and public health risks. [13,14] Harmful algal blooms (HABs), often dominated by cyanobacteria and other bloom-forming microbes, are increasing in frequency and geographic range due to warmer water temperatures and stratification dynamics. [15] These events reduce oxygen levels, disrupt food webs, and produce toxins that affect wildlife and human health. Ocean warming also impacts marine microbial communities, altering phytoplankton composition and reducing the abundance of key primary producers, which can cascade through marine food webs and affect global carbon cycling. [16]

Extreme Environments: Unique environments such as polar ice and permafrost host specialized microbial communities adapted to cold, nutrient-limited conditions. Thawing permafrost not only releases greenhouse gases but also alters microbial community profiles, enabling previously dormant microbes to become active. Increased microbial activity in polar regions is influencing carbon release and intensifying climate feedbacks. [17] Moreover, microbes on glacier surfaces can darken ice (biological darkening), increasing heat absorption and accelerating melting, illustrating unexpected and complex microbial contributions to climate dynamics. [18]

MICROBIAL FEEDBACKS TO CLIMATE CHANGE

Microbial processes are not only affected by climate change but can actively influence climate dynamics. Soil and aquatic microbes regulate the fluxes of greenhouse gases, including CO_2, CH_4, and N_2O. Changes in microbial activity that enhance the release of these gases contribute directly to global warming. [1, 16]. For instance, increased soil respiration due to warming accelerates carbon release from soil organic matter, enhancing atmospheric greenhouse gas concentrations and creating a positive feedback loop. [19,20] In some microbial processes may provide negative feedbacks. Certain marine phytoplankton release dimethylsulfide (DMS), which contributes to cloud formation and potentially cools the climate by increasing solar reflection. Such natural feedback mechanisms illustrate the complexity of microbial influences on climate systems and the need to incorporate microbial processes into climate models.

IMPLICATIONS FOR ECOSYSTEM HEALTH AND SERVICES

Climate-driven shifts in microbial communities have broad implications for ecosystem health and services. Healthy microbial diversity is critical for soil fertility, plant growth, water purification, and disease suppression. Disruptions in microbial networks can weaken these services, reducing ecosystem resilience. For agriculture, altered soil microbial communities may reduce nutrient cycling efficiency and crop productivity, compromising food security. In aquatic environments, increasing prevalence of harmful microbes threatens fisheries, recreation, and drinking water supplies. Microbial changes also impact human health directly, as climate change amplifies the distribution and activity of pathogenic microbes. Warmer temperatures facilitate the spread of disease-causing bacteria in water bodies, increasing infection risks in human and animal populations. [13,14]

RESEARCH CHALLENGES AND FUTURE DIRECTIONS

Despite growing awareness of microbial responses to climate change, significant knowledge gaps remain. Integrating microbial dynamics into climate prediction models is a major challenge due to the complexity and scale-dependent nature of microbial processes. There is a need for long-term, high-resolution datasets capturing microbial community shifts across diverse ecosystems. Technological advances such as metagenomics, transcriptomics, stable isotope probing, and environmental sensing are enhancing our ability to characterize microbial diversity and function under changing climates. Collaborative research that bridges microbiology, ecology, soil science, and climate science is essential to build comprehensive models linking microbial processes to ecosystem outcomes. Such integrated approaches will improve predictions of climate impacts and help develop mitigation strategies that leverage microbial functions.

CONCLUSION

Microbial communities are fundamental to ecosystem processes and are deeply affected by climate change. Rising temperatures, altered precipitation patterns, and increased greenhouse gas concentrations reshape microbial diversity, activity, and interactions with plants, animals, and the environment. These changes have significant consequences for nutrient cycling, soil fertility, water quality, and global biogeochemical cycles. Microbial responses both reflect and influence climate dynamics, underscoring the need to integrate microbial ecology into climate science and environmental management. Protecting microbial diversity and function is essential to sustaining ecosystem health and resilience in a rapidly changing world.

DECLARATION

Ethical Approval: Not applicable. This study is a review of previously published literature and did not involve human participants or animal experimentation.
Consent for Publication: Not applicable.
Availability of Data and Materials: All data supporting the findings of this study are available within the article and from the cited references.
Competing Interests: The author(s) declare no competing financial or non-financial interests.
Funding: No external funding was received for this work.
Authors' Contributions: All author(s) contributed equally to the conception, literature review, drafting, and final approval of the manuscript.
Acknowledgements: The author(s) acknowledge all researchers whose work contributed to this review.

REFERENCES

1. Jansson JK, Hofmockel KS. Soil microbiomes and climate change. Nat Rev Microbiol. 2020;18(1):35–46. doi:10.1038/s41579-019-0265-7.
2. Wu L, Zhang Y, Guo X, et al. Long-term climate warming substantially reduces global soil microbial richness. One Earth. 2025;101511. doi:10.1016/j.oneear.2025.101511.
3. Li Y, Wang J, Shen C, et al. Microbial diversity losses constrain the capacity of soils to mitigate

climate change. Glob Change Biol. 2024;30(12):e17601. doi:10.1111/gcb.17601.
4. De Silva S, Hetti Gamage LK, Thapa VR. Impact of drought on soil microbial communities. Microorganisms. 2025;13(7):1625. doi:10.3390/microorganisms13071625.
5. Roy S, Dumont MG, Bradley JA, Hernández M. Microbial interactions between climate warming and antimicrobial resistance threaten soil carbon storage and global health. ISME J. 2025;19(1):wraf220. doi:10.1093/ismejo/wraf220.
6. Bardgett RD, Freeman C, Ostle NJ. Microbial contributions to climate change through carbon cycle feedbacks. ISME J. 2008;2(8):805–814. doi:10.1038/ismej.2008.58.
7. Classen AT, Sundqvist MK, Henning JA, et al. Direct and indirect effects of climate change on soil microbial and soil microbial-plant interactions: What lies ahead? Ecosphere. 2015;6(9):art163. doi:10.1890/ES15-00217.1.
8. Loiko N, Islam MN. Plant–soil microbial interaction: Differential adaptations of beneficial vs. pathogenic bacterial and fungal communities to climate-induced drought. Agronomy. 2024;14(9):1949. doi:10.3390/agronomy14091949.
9. Sun Y, Chen X, Hisano M, et al. Rising global temperatures reduce soil microbial diversity over the long term. Proc Natl Acad Sci U S A. 2025;122(35):e2426200122. doi:10.1073/pnas.2426200122.
10. Kumari A, Dash M, Singh SK, et al. Soil microbes: A natural solution for mitigating the impact of climate change. Environ Monit Assess. 2023;195:1436. doi:10.1007/s10661-023-11988-y.
11. Zhou J, Deng Y, Shen L, et al. Temperature mediates continental-scale diversity of microbes in forest soils. Nat Commun. 2023;14:3745. doi:10.1038/s41467-023-39589-0.
12. Conti Taguali S, et al. Are environmental factors correlated with the diversity of soil microorganisms? Biodivers Conserv. 2025;34(5):1235–1248. doi:10.1007/s11557-025-02091-2.
13. Bardgett RD, van der Putten WH. Belowground biodiversity and ecosystem functioning. Nature. 2014;515(7528):505–511.
14. Fierer N, Lennon JT. The generation and maintenance of diversity in microbial communities. Am J Bot. 2011;98(3):439–448. doi:10.3732/ajb.1000508.
15. Allison SD, Martiny JBH. Resistance, resilience, and redundancy in microbial communities. Proc Natl Acad Sci U S A. 2008;105(Suppl 1):11512–11519. doi:10.1073/pnas.0801925105.
16. Wagg C, Schlaeppi K, Banerjee S, et al. Fungal–bacterial diversity and soil multifunctionality. Nat Commun. 2019;10:1489. doi:10.1038/s41467-019-09485-8.
17. van der Heijden MGA, Bardgett RD, van Straalen NM. The unseen majority: soil microbes as drivers of plant diversity and productivity in terrestrial ecosystems. Ecol Lett. 2008;11(3):296–310. doi:10.1111/j.1461-0248.2007.01139.x
18. Tedersoo L, Bahram M, Zobel M. How mycorrhizal associations drive plant population and community biology. Science. 2020;367(6480):6480. doi:10.1126/science.aaz7232
19. Trivedi P, Delgado-Baquerizo M, Jeffries TC, et al. Microbial regulation of the soil carbon cycle: Evidence from global field studies. Global Change Biol. 2016;22(9):3650–3661. doi:10.1111/gcb.13391. (global soil microbe carbon)
20. Philippot L, Raaijmakers JM, Lemanceau P, van der Putten WH. Going back to the roots: the microbial ecology of the rhizosphere. Nat Rev Microbiol. 2013;11(11):789–799. doi:10.1038/nrmicro3109.

How to cite this article: Tiwari R. Climate Change Impacts on Microbial Diversity and Ecosystem Health: A Multidisciplinary Mini-Review. SPJP J. Multidiscip. Sci. 2025;1(2):6-9. doi: 10.62502/spjpjms/v1i2art2